

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/31/2017

Reviewed on 11/14/2018

Page 1/9

· Product Identifier

- · Trade name: Formlabs Denture Teeth
- · Product Number: Dentca Denture Teeth
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description light curable Denture Teeth resin
- · Application of the substance / the mixture: Making Denture Teeth
- · Details of the Supplier of the Safety Data Sheet:

Manufacturer/Supplier: DENTCA Inc.
357 Van Ness Way, Suite 250 Torrance, CA 90501, U.S.A.
Phone; 1-424-558-8726
Fax; 1-424-558-8738
info@dentca.com
www.dentca.com
Emergency telephone number: 1-424-558-8726

· Classification of the substance or mixture:



Eye Irrit. 2A H319 Causes serious eye irritation.

Aquatic Acute 3 H402 Harmful to aquatic life.

· Label elements:

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS07

- · Signal word: Warning
- · Hazard statements:

H319 Causes serious eye irritation.

H402 Harmful to aquatic life.

· Precautionary statements:

- P280 Wear eye protection / face protection.
- P273 Avoid release to the environment.
- P264 Wash thoroughly after handling.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Reviewed on 11/14/2018

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/14/2016

Trade name: Formlabs Denture Teeth

P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

· Unknown acute toxicity:

55 % of the mixture consists of component(s) of unknown toxicity.

- · Classification system:
- · NFPA ratings (scale 0 4)

Health = 1 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

0

¹ Health = 1 ⁰ Fire = 0 REACTIVITY 0 Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None known

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with non-hazardous additions.

	Components: Methacrylate monomer	40-60%	
	 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335 	+0 00 /0	
72869-86-4	Diurethane dimethacrylate	30-50%	
	~ Skin Sens. 1, H317		
3290-92-4			
	Initiator	≤ 3.0%	
	 Skin Sens. 1, H317; Aquatic Chronic 4, H413 		
	Inhibitor	≤ 1.0%	
	Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1, H317		
	Pigment 1	\leq 1.0%	
	↑ Carc. 1B, H350; Repr. 1A, H360; STOT RE 2, H373; Aquatic Acute 1, H400; <u>Aquatic Chronic 1, H410</u>		
	Pigment 3	≤ 1.0%	
	🛉 Carc. 2, H351; ~ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335		
	Pigment 5	≤ 1.0%	
	✤ Resp. Sens. 1A, H334; STOT RE 1, H372; ~ Skin Sens. 1A, H317; Combustible <u>Dust</u>		

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

· Description of first aid measures:

· After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Generally the product does not irritate the skin.

Reviewed on 11/14/2018

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/14/2016

Trade name: Dentca Denture Teeth

- · After eye contact:
- If eye irritation occurs, consult a doctor. Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed:* No further relevant information available. *Indication of any immediate medical attention and special treatment needed:*

No further relevant information available.

- Extinguishing media:
- Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters:
- Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

- · Personal precautions, protective equipment and emergency procedures: Not required.
- · Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Dispose of the collected material according to regulations.

• Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Handling

- Precautions for safe handling: Open and handle receptacle with care.
- · Information about protection against explosions and fires: Keep protective respiratory device available.
- · Conditions for safe storage, including any incompatibilities:
- · Storage
- Requirements to be met by storerooms and receptacles: Store in the original container.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.
- *

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters:

Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/14/2016

Reviewed on 11/14/2018

Trade name: Formlabs Denture Teeth

	EL Long-term value: 1 mg/m³ Skin
Ingr	edients with biological limit values:
Pigr	nent 1
BEI	25 μg/L
	urine
	end of shift at end of workweek
	Total chromium (fume)
	10 μg/L
	urine
	increase during shift
	Total chromium (fume)
Ada	<i>itional information:</i> The lists that were valid during the creation of this SDS were used as basis.
	0
Exp	-
-	osure controls:
Pers	-
Per: Gen	osure controls: sonal protective equipment:
Pers Gen The Kee	osure controls: sonal protective equipment: eral protective and hygienic measures: usual precautionary measures for handling chemicals should be followed. p away from foodstuffs, beverages and feed.
Pers Gen The Kee Imm	osure controls: sonal protective equipment: eral protective and hygienic measures: usual precautionary measures for handling chemicals should be followed. p away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing and wash before reuse.
Pers Gen The Kee Imm Was	osure controls: sonal protective equipment: eral protective and hygienic measures: usual precautionary measures for handling chemicals should be followed. p away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing and wash before reuse. h hands before breaks and at the end of work.
Pers Gen The Kee Imm Was Avoi	osure controls: sonal protective equipment: eral protective and hygienic measures: usual precautionary measures for handling chemicals should be followed. p away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing and wash before reuse. th hands before breaks and at the end of work. d contact with the eyes.
Pers Gen The Kee Imm Was Avoi Avoi	osure controls: sonal protective equipment: eral protective and hygienic measures: usual precautionary measures for handling chemicals should be followed. p away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing and wash before reuse. th hands before breaks and at the end of work. d contact with the eyes. d contact with the eyes and skin.
Pers Gen The Kee Imm Was Avoi Avoi Bre	osure controls: sonal protective equipment: eral protective and hygienic measures: usual precautionary measures for handling chemicals should be followed. p away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing and wash before reuse. th hands before breaks and at the end of work. d contact with the eyes. d contact with the eyes and skin. athing equipment: Not required.
Pers Gen The Kee Imm Was Avoi Avoi Brea Pro	osure controls: sonal protective equipment: eral protective and hygienic measures: usual precautionary measures for handling chemicals should be followed. p away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing and wash before reuse. th hands before breaks and at the end of work. d contact with the eyes. d contact with the eyes and skin. athing equipment: Not required. tection of hands: Not required.
Pers Gen The Kee Imm Was Avoi Avoi Brea Proi Mat	osure controls: sonal protective equipment: eral protective and hygienic measures: usual precautionary measures for handling chemicals should be followed. p away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing and wash before reuse. th hands before breaks and at the end of work. d contact with the eyes. d contact with the eyes and skin. athing equipment: Not required.

• Eye protection:

Tightly sealed goggles

- Information on basic physical and chemical properties
- · General Information

· Appearance:	
Form:	Liquid
Color:	Off-White
· Odor:	Ester-like
· Odor threshold:	Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. 101 °C (214 °F)
Flash point:	65 °C (149 °F)

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/14/2016

Reviewed on 11/14/2018

Trade name: Dentca Denture Teeth

· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	430 °C (806 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	2.1 Vol % 12.5 Vol %
· Vapor pressure @ 20 °C (68 °F):	47 hPa (35 mm Hg)
 Density: Relative density: Vapor density: Evaporation rate: 	Not determined. Not applicable. Not applicable.
 Solubility in / Miscibility with: Water: 	Insoluble.
· Partition coefficient (n-octanol/water)	: Not determined.
 Viscosity: Dynamic @ 20 °C (68 °F): Kinematic: 	1000-4000 cPs Not applicable.
 Solvent content: Organic solvents: VOC content: 	1.5 % 1.5 %
Solids content: • Other information:	1.8 % No further relevant information available.

· Reactivity: No further relevant information available.

· Chemical stability: Stable under normal conditions.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions: No dangerous reactions known.

· Conditions to avoid: No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

*

 Information on toxicological effects: Acute toxicity: LD/LC50 values that are relevant for classification: 		
72869-86-4 Diurethane dimethacrylate		
Oral	LD50	>5000 mg/kg (rat)
Inhibitor		
Oral	LD50	1600 mg/kg (rat)

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/14/2016

Reviewed on 11/14/2018

Trade name: Formlabs Denture Teeth

Pigment 1			
Oral	LD50	>10000 mg/kg (rat)	
Pigment 3			
Oral	LD50	>10000 mg/kg (rat)	
Dermal	LD50	>10000 mg/kg (rabbit)	
Inhalative	LC50/4 h	>6.82 mg/l (rat)	
	<i>in:</i> No irrita e: Irritating I toxicolog uct shows	ating effect.	for
· Carcinoge · IARC (Inte		ories: Agency for Research on Cancer):	
80-62-6	Methyl m	ethacrylate	3
9011-14-7	Poly(met	hyl methacrylate)	3
	Pigment		1
	Pigment	3	2B
· NTP (Natio	onal Toxic	cology Program):	
Pigment 1			K
· OSHA-Ca	(Occupat	tional Safety & Health Administration):	1
None of the	e ingredie	nts are listed.	
· Toxicity: · Aquatic to	vicity		
-	-	ane dimethacrylate	

72869-86-4 Diurethane dimethacrylate

EC50 >1.2 mg/l (daphnia)

Pigment 3

EC50 >1000 mg/l (Water flea)

• Persistence and degradability: No further relevant information available.

· Behavior in environmental systems:

· Bioaccumulative potential: No further relevant information available.

• *Mobility in soil:* No further relevant information available.

Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

Results of PBT and vPvB assessment:

· **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects: No further relevant information available.

(Contd. on page 7)

· Waste treatment methods:

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

· UN-Number: · DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material
UN proper shipping name:	5
· DOT, ADR, ADN, IMDG, IATA · Transport hazard class(es):	Non-Regulated Material
· DOT, ADR, ADN, IMDG, IATA	
· Class:	Non-Regulated Material
· Packing group:	
· DOT, ADR, IMDG, IATA	Non-Regulated Material
· Environmental hazards:	Not applicable.
 Special precautions for user: 	Not applicable.
 Transport in bulk according to Annex II or 	F
MARPOL73/78 and the IBC Code:	Not applicable.
· UN "Model Regulation":	Non-Regulated Material
*	

• Safety, health and environmental regulations/legislation specific for the substance or mixture: • SARA (Superfund Amendments and Reauthorization):

 Section 355 (extremely hazardous substances): 	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
• TSCA (Toxic Substances Control Act):	
All ingredients are listed or exempt from listing.	
· California Proposition 65:	
· Chemicals known to cause cancer:	
Pigment 1	
Pigment 3	
• Chemicals known to cause reproductive toxicity for females:	
Pigment 1	
• Chemicals known to cause reproductive toxicity for males:	
Pigment 1	

· Chemicals known to cause developmental toxicity:

Pigment 1

(Contd. on page 8)

- · Carcinogenic categories:
- EPA (Environmental Protection Agency):

None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

Pigment 1

Pigment 3

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS07

- · Signal word: Warning
- · Hazard statements:

H319 Causes serious eye irritation. H402 Harmful to aquatic life.

Precautionary statements:

r recautionary statements.		
P280	Wear eye protection / face protection.	
P273	Avoid release to the environment.	
P264	Wash thoroughly after handling.	
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if		
	present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P501	Dispose of contents/container in accordance with local/regional/national/international	
	regulations.	
	P280 P273 P264 P305+P351+P338 P337+P313	

· National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

· Information about limitation of use:

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision: 11/14/2018 / 1

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

- ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** BEI: Biological Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Resp. Sens. 1A: Respiratory sensitisation - Category 1A Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Carc. 1B: Carcinogenicity - Category 1B Carc. 2: Carcinogenicity – Category 2 Repr. 1A: Reproductive toxicity – Category 1A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4 * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106